QUALITY



- SERVICE
- RELIABILITY

All prices in this promotion +4.7%\* \* Surcharge

# SPRING/SUMMER 2022 COMPETENCE IN PRECISION TOOLS AND HAND TOOLS



**CONCRETE DRILL BITS** can be found on page 5



**SCREW EXTRACTOR BUNDLE** can be found on page 7

**TWIST DRILL BIT SPEEDPOWER** can be found on page 9

JEW

### **STONE**


PROFESSIONAL PLUS

## Rotary hammer drill bits with 4 cutting edges



ROCKET





- 5 crushers allow drilling of precise holes
- Low vibration while working

#### SDS-plus

#001

#002

#003


5-pack with hanger PIECES

	a contractor			
Ø mm	L1 mm	L2 mm	€/PU	ArtNo.
6.0	110	50	24.40	83 06 110 45
8.0	210	150	34.00	83 08 210 45
10.0	210	150	39.70	83 10 210 45
12.0	210	160	44.50	83 12 210 45
14.0	210	160	71.80	83 14 210 45
1/2/ 2/ 2/		St. Serie	a start a start	

#### 10

10-pack with hanger PIECES

Ø mm	L1 mm	L2 mm	€/PU	ArtNo.
6.0	160	100	55.40	83 06 160 410
8.0	160	100	60.30	83 08 160 410
10.0	160	100	62.70	83 10 160 410
12.0	160	110	72.90	83 12 160 410
14.0	160	110	89.60	83 14 160 410
San States				





Single packaging with hanger

			0 1 0 0	0
Ø mm	L1 mm	L2 mm	€/Pc.	ArtNo.
14.0	540	400	55.90	814 540
16.0	340	200	47.60	816 340
16.0	540	400	57.20	816 540
18.0	340	200	48.20	818 340
18.0	540	400	59.50	818 540
20.0	520	400	61.50	820 520
22.0	520	400	63.10	822 520
24.0	520	400	65.20	824 520
25.0	520	400	65.90	825 520
28.0	570	450	74.00	828 570



## Perfect suitable for reinforcements

- Protection against reinforcement prevents jamming
- Wear marks for the proof of dowel-compatible holes

### Extremely durable

- 4-flute geometry
- increases lifetime
- Evenly spread wear

#### **Characteristics**








#### Shank

 Available in SDS-plus and SDS-max





### **STONE**



# **MULTI-STAR** multi-purpose drill

- Extremely sharp cutting edges due to diamond-ground carbide plate
- Optimal drill dust transport due to patented 4-stage profile
- Suitable for metal, masonry, tile, brick, wood, plastics and composite materials
- For rotating use only no impact drilling!

straight shank


PROFESSIONAL PLUS STANDARD



#### SSIONAL PLUS STANDARD

## **CRYSTAL** glass drill bit set

- ▶ With special carbide tip and straight shank
- Reduced rotation speed (rpm) and sufficient cooling (water, terpentin, vinaigre, paraffin) improve the drilling result
- Designed to drill: Glass, Tiles, Ceramic, Mirror Glass and Porcelain
- For rotating use only no impact drilling!



with straight shank Ø6-6-8-8-10 mm

5 pcs. in plastic box

59001

57005





For composite materials

without changing tools

HEXAGONAI

MULTI-STAR

IE 

5


PIECES

with hexagonal shank

Ø4-5-6-8-10 mm

5 pcs. in plastic box

### **STONE**







400 x 25 mm Spade chisel 400 x 50 mm





C	-)	9	SD	S-plus	TU PIECES
Description		W mm	pcs./ PU	€/PU	ArtNo.
Pointed chisel	250		10	30.90	84 106 250 210
Flat chisel	250	20	10	30.90	84 206 250 210
Spade chisel	250	40	10	38.60	84 406 250 210
(		-)		S-max	10
				J-max	PIECES #01
Description	L mm	W mm	pcs./ PU	€/PU	
Description Pointed chisel			pcs./		#01
•			pcs./ PU	€/PU	ArtNo.

#### PROFESSIONAL PLUS STANDARD



- ► Hollow core bit with 8 carbide teeth
- Designed to drill: lightweight concrete, masonry, hollow bricks and sand-lime bricks
- ► Ideal tool for plumbers, heating engineers, electricians, etc.





#### Hollow core bit set



Hollow core drill bits 68 mm and 82 mm incl. SDS-plusand Hexagon shank and two center drill bits

6-pcs. in plastic case



Hollow core bit 68 mm with SDS-plus shank and centering drill bit 3 pcs. on clip



Hollow core bit 82 mm with SDS-plus shank and centering drill bit 3 pcs. on clip





#### us STANDARD

## Tool holder with ratchet

- ► For chucking screw extractors (size 1 size 5) and taps (M5 - M12)
- ▶ With reversible ratchet function for left and right rotation





#### PROFESSIONAL PLUS STANDARD

### **Carbide burrs sets**

- Double cut for high stock removal rate while smooth milling performance
- Achieving smooth surfaces while minimizing rework
- High quality carbide guarantees a long service life
- ► For working steel, cast iron, stainless steel, special alloys, extremely hard and tough materials (e.g. Hardox) as well as non-ferrous metals
- Handy plastic box protects the tools from dirt and damage



3 pcs. in plastic box Head Ø 9.6 mm shank Ø 6.0 mm




Shape B - cylinder with spur teeth Shape C - cylinder roller Shape F - round arch



- D R
- 3 pcs. in plastic box Head Ø 9.6 mm shank Ø 6.0 mm



Shape B - cylinder with spur teeth Shape D - ball shape





PROFESSIONAL PLUS STANDARD

## Twist drill bit sets DIN 338

### **SPEEDPOWER**



#### Combines the precision of a ground drill bit with the increased breaking resistance of a roll-forged drill bit

- Made of high-alloy high-speed steel (DMO5) for a particularly long service life
- With 118° tapered finish for multiple and easy regrinding
- Precision roll-forged for increased breaking resistance and precisely round drill holes
- ► For drilling steel up to 1.000 N/mm<sup>2</sup>, cast steel, gray cast iron, sintered iron, non-ferrous metals and graphite



#### ROFESSIONAL PLUS STANDARD

## Twist drill bit sets DIN 338 ECO

- ► Twist drill bit according to DIN 338 type N with straight shank
- ► 135° split point from Ø 3 mm
- ► Article 60375 in metal box






HSS-G



BASIC



60616

PROFESSIONAL PLUS STANDARD

## Twist drill bit sets DIN 338





### THREAD

PROFESSIONAL PLUS STANDARD

## Thread cutting tools



#### Hand tap set HSS DIN 352

**21 hand taps HSS DIN 352 1 set each (taper, plug and bottoming tap)** M3 - M4 - M5 - M6 - M8 - M10 - M12 **7 core hole drill bits HSS-G DIN 338** Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm **1 tap wrench** no. 1 1/2 **29 pcs.** in metal box








#### Short machine taps HSS-G DIN 352

7 short machine taps HSS-G DIN 352 for machine and hand use M3 - M4 - M5 - M6 - M8 - M10 - M12 7 core hole drill bits HSS-G DIN 338 Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm 1 tap wrench no. 1 1/2 15 pcs. in metal box





### THREAD

#### PROFESSIONAL PLUS STANDARD

## Thread cutting tools

#### 21 hand taps HSS DIN 352

**1 set each** (taper, plug and bottoming tap) M3 - M4 - M5 - M6 - M8 - M10 - M12 **7 circular dies HSS-G DIN 13** M3 - M4 - M5 - M6 - M8 - M10 - M12 **7 core hole drill bits HSS-G DIN 338** Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm **1 die holder 1 tap wrench** no. 1 1/2 **1 tool holder** No. 1 **1 screwdriver** (Art.-no. 91508) **1 screw pitch gauge** (Art.-No. 915091) **40 pcs.** in plastic case



#### 91009





#### 33 hand taps HSS DIN 352

set each (taper, plug and bottoming tap)
 M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20
 11 circular dies HSS-G DIN EN 22568
 M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20
 6 die holders
 20x5 - 20x7 - 25x9 - 30x11 - 38x14 - 45x18 mm
 2 tap wrenches No. 1 1/2 + 3
 1 screwdriver (Art.-no. 91508)
 1 screw pitch gauge (Art.-No. 915091)
 1 tool holder with ratchet (Art.-No. 913011)
 55 pcs. in metal case





#### 39 hand taps HSS DIN 352

**1 set each** (taper, plug and bottoming tap) M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 -M16 - M18 - M20 - M22 - M24 **13 circular dies HSS-G DIN EN 22568** M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 -M16 - M18 - M20 - M22 - M24 **6 die holders** 20x5 - 20x7 - 25x9 - 30x11 - 38x14 - 45x18 mm

**3 tap wrenches** No. 0 + 1 1/2 + 4 **1 screwdriver** (Art.-no. 91508) **1 screw pitch gauge** (Art.-No. 915091)

63 pcs. in plastic case







#### PROFESSIONAL PLUS STANDARD

### Step drill with spiral groove - set

- ▶ Sharp drill bit tip: Instant drilling without pre-drilling, burr and chatter mark free work
- ▶ High running smoothness with an excellent cutting performance
- Spiral geometry of the flutes results in a longer tool life
- ▶ The next larger step can be used for slight countersinking or deburring

1x Ø 4 - 12 mm | 1x Ø 6 - 20 mm | 1x Ø 6 - 30 mm 1x cutting paste



#053

#### PROFESSIONAL PLUS STANDARD

### **Outer reamer**

- Perfect for various materials such as stainless steel, metal, non-ferrous metal and plastic
- Fast and clean deburring of pipes, threaded rods, screws and much more due to carbide blades
- Ideal for repair of threaded bolts and screws Only use low rotational speed
- ► Art.-No. 35401 max 500 rpm, Art.-No. 35402 max 150 rpm, Art.-No. 35403 max 60 rpm



NIROSTA

### SAWS



#### PROFESSIONAL PLUS STANDARD


## **Oscillating multi tools**

STARLOCK



- The versatile multi-tools are particularly suitable for working in places that are hard to reach
- U-Shape saw blades with a rounded cutting edge ensure an optimal plunging behavior as well as clean and precise cuts
- ► Find the right tool for the working material with the help of the color guide mark
- Quick one handed tool change in only three seconds





### SAWS





### WOOD

essional **PLUS** standard

## **Forstner Bits**

- Precise and splinter-free drilling in wood
- Drill bits with center point, two main cutting edges and peripheral cutting edges
- ► Grinded for accurate drill holes
- Reduced straight shank
- Designed to drill: Hard wood, soft wood and veneered wooden board

33001-1

#### **ECO**

5 forstner drill bits Ø 15 - 20 - 25 - 30 - 35 mm

5 pcs. in wooden box

#### PROFESSIONAL PLUS STANDARD

## Auger drill bit sets

- ▶ With threaded tip for accurate drilling
- ▶ Long tool life because of hardened drill bit head and cutting lip
- Special LEWIS helix for rapid chip removal
- ► Hex shank ensures a tight fit in the drill chuck
- Designed to drill: Soft- and hardwood

#### Ø 10 - 12 - 14 - 16 - 18 - 20 mm



90

5

PIECES

#### professional **PLUS** standard Router bit set Shank Ø 8.0 mr A) 45° bevel trim bit Ø 28.6 mm 12 Ø 24.7 + 32.7 mm B) Round over bit A) PIECES Ø 22.0 + 28.5 mm C) Cove bit D) Classical roman ogee cutter Ø 35.0 mm E) Straight bit Ø 8.0 + 16.0 mm F) Flush trim bit Ø 12.7 mm G) Core box bit Ø 12.0 mm H) Dovetail bit Ø 14.3 mm I) 60° Singmarking bit Ø 11.0 mm H) 12 pcs. in wooden box 19299 € 61 50 9 9



#### ECO


15 forstner drill bits Ø 10 - 12 - 15 - 16 - 18 - 20 - 22 - 25 - 26 -28 - 30 - 35 - 40 - 45 - 50 mm 15 pcs. in wooden box

33002-1 50

> 6 PIECES

P

### **WOOD AND MEASURING TOOLS**



IAL PLUS STANDARD

## **Spirit levels**

80 📰 🔝

- Two solid UV-resistant vials for horizontal and vertical measurement.
  - Tolerance: 0.5 mm/m for accurate measurement results
- Accurate measurement results even with long lengths
- ▶ 1.0 mm profile strength
- Shock-absorbing end caps prevent damage when falling down
- #097 Length €/Pc. Art.-No. Length €/Pc. Art.-No. Length €/Pc. Art.-No. 30 cm 5.50 2975-030 80 cm 8.70 2975-080 150 cm 15.90 2975-150 40 cm 6.10 2975-040 100 cm 9.90 2975-100 180 cm 20.50 2975-180 60 cm 7.30 2975-060 120 cm 13.80 2975-120 200 cm 22.00 2975-200

#### PROFESSIONAL PLUS STANDARD

## Spirit level with vertical mirror vial and magnets

- Easy to work with because spirit level holds magnetically on metallic surfaces
- Two solid UV-resistant vials, incl. one patented "Plumb Site Dual View" vertical vial
- Easy frontal reading of the vertical vial, even at narrow spaces
- ► Tolerance: 0.5 mm/m for accurate measurement results
- ▶ 1.5 mm profile strength

Length	€/Pc.	ArtNo.	Length	€/Pc.	ArtNo.
30 cm	14.90	2976-031	80 cm	22.00	2976-081
40 cm	16.70	2976-041	100 cm	27.20	2976-101
60 cm	19.40	2976-061			



end caps

View" vertical vial

		STA	NDARD			






### **SANITARY**

## Diamond drill bits with self-cooling

- ► Wax filling inside the drill bits • Self-cooling, as the wax liquefies during drilling Fast drilling progress and long life No contamination by coolant
- ceramics and porcelain stoneware Two different shank versions available • Hexagonal shank for 3-jaw chuck M14 threaded shank for angle grinder
- For rotating use only no impact drilling!



€**7.**50

#### Adapter from hex shank to M14 threaded shank

To use the diamond drill bit with M14 threaded shank in a 3-jaw chuck

#### Diamond drill bits with self-cooling

Single packaging with hanger

#103		Hex shank	#104		M14 threaded shank
Ø mm	€/Pc.	ArtNo.	Ømm	€/Pc.	ArtNo.
6.0	15.50	59 806	6.0	24.90	59 406
8.0	17.20	59 808	8.0	26.50	59 408
10.0	19.00	59 810	10.0	27.40	59 410
12.0	20.70	59 812	12.0	28.00	59 412



Ideal for extreme hard tiles,

#### **Grout remover** 66318 €**25.**50 1 PIECES TC/HM LONG LIFE PRO ≤**2,5**m 0 ▶ Grout remover 3-in-1 66309 #106 €**39.**90 1 PIECES TC/HM LONG LIFE PRO ≤3mm ▶**]**◀ Ø 70 mm

### **PLUMBER**

#### PROFESSIONAL PLUS STANDARD

## Pipe cutter and sanitary tool case

#### Pipe cutter set 2-pcs.

- Ideal for aluminum, copper and thin-walled steel pipes up to 2 mm thickness
- Ergonomic knob
- Quick and tool-free change of cutting wheel
- Including spare wheel in the rotary knob
- ► 6211 for pipes Ø 3 30 mm
- ▶ 396213 with deburrer, for pipes Ø 3 45 mm



PLUMBER

## Sanitary tool case

- 98 tools in an break-proof ABS case
- All important sanitary tools in one set
- Clear and well structured arrangement of the tools
- Ideal for craftsmen, fitters or apprentices







PROJAHN

PROFICRA



Pipe cutter PT QUICK for pipes Ø 6 - 76 mm

Pipe shears for plastic and composite pipes up to Ø 42 mm 6263 #111 € 43.00

98


PIECES



### **TOOL CASES**

ESSIONAL PLUS STANDARD

## **Category tool cases**



Durable hinges

- PROJAHN
- ► Robust, break-proof and lockable case
- Content adjusted to various user needs



### **TOOL CASES**



## **Tool trolley UNIVERSAL**

- ► High quality, universal tool range with all important tools
- ▶ With high-quality ratchets and sockets in sizes 6.3 [1/4"] and 12.5 [1/2"] from 4 to 32 mm
- Clearly arranged tools

- Easy transport of the case thanks to extendable telescopic handle and integrated, smooth-running wheels
- Robust, break-proof and lockable case
- ► 2 tool boards with foldable pockets



LUS STANDARD

### **Tool case**

- High quality tool assortments for universal use Clearly arranged tools
- All tools securely fixed
- Robust, break-proof and lockable case







### **SOCKET SETS**

onte

1/4" 6.3

9999999

PROJAHN

PROFICRAFT

46 PIECES


W 250 x L 160 x H 55 mm, Weight 1.250 g

PROFESSIONAL PLUS STANDARD

## Socket sets

#### 1/4" Socket set

- ► 46 tools (metric) in impact-resistant plastic case
- ► High quality, ergonomic 1/4" reversible ratchet with rough or fine toothing
- Sockets 4 14 mm




48-Tooth-Ratchet 8651 #117 72-Tooth-Ratchet 8652 #118 € 34.60



PROJAHN

PROFICEAL



- ▶ 108 tools (metric) in impact-resistant plastic case
- High-quality, ergonomic [1/4]" and [1/2"] reversible ratchets with rough or fine toothing
- Sockets 4 32 mm and E-TX sockets E4 E22
- ▶ 6.3 [1/4"] bit sockets for all main applications





1/4"

6.3

90

04

€

### **SOCKET SETS**



#### PROFESSIONAL PLUS STANDARD



#### PROFESSIONAL PLUS STANDARD

### **Tool case**


#### 1/4" + 1/2" Universal tool case

- Extensive equipment
- Good-looking and high-quality plastic case
- Ratchet with ergonomic 2-component handle for secure support and fatigue-free work
- Combination wrench 8 19 mm, hammer, sockets
  4 24 mm and high-quality bit set
- Pliers, screwdrivers, hex keys etc. for almost any application



### 48-Tooth-Ratchet 8665 #123 € 169.50







PROJAH

### SOCKET SETS AND ACCESSORIES

#### PROFESSIONAL PLUS

## **Reversible ratchet**

- Stable and durable ratchet mechanism in an extremely slim design
- With robust rough toothing (48 teeth) or fine toothing (72 teeth) with a 5° return angle
- Quick release button for a safe connection between ratchet and socket
- Recessed, flat and therefore protected switch lever for a quick change of direction
- Balanced weight distribution for ideal handling while working
- High robustness and durability increased through firm and robust handle core

#### PROFESSIONAL PLUS STAND

Extremely stabl high loads	le for		PROJAHN O
		<u>A</u>	#124
48 tooth	max. torque	€/pcs.	ArtNo.
1/4" 6.3	85 Nm	21.90	39114948
3/8" 10	270 Nm	29.20	39138948
1/2" 12.5	660 Nm	35.10	39112948
			#125
72 tooth	max. torque	€/pcs.	ArtNo.
1/4" 6.3	80 Nm	21.90	39114972
3/8" 10	260 Nm	29.20	39138972
1/2" 12.5	640 Nm	35.10	39112972





### **SCREWDRIVERS**

#### PROFESSIONAL PLUS STANDARD

## Hex key set

- Integrated magnet in ball head (from 3 mm) screws made of steel adhere to key
- With ball head screwing also possible with angular application
- Non-slip surface for better grip
- Low wear, high stability and concurrent flexibility due to S2-steel

1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm **9 pcs.** in clip

Stable due to S2 steel

9

PIECES

6

PIECES

#132

50

#131

• 🕄 3613

5199

€**36.**<sup>50</sup>

## Screwdriver set with striking cap

- With big, solid impact cap ideal for smaller mortising and chisel works
- High stability due to persistent blade and impact cap
- High power transmission due to optimized handle-design on hand

#### PH 1 - PH 2

● 0.8 x 4.5 - 1.0 x 5.5 - 1.2 x 7.0 - 1.2 x 8.0 mm

## 6-in-1 universal screwdriver



### BITS



### BITS



## 1/4" STAR bits

- PROJAHN STAR bits:
- ► Safe high break resistance and occupational safety
- ► Torsion Ideal for the use with impact wrenches
- ► Anti-Slip The micro-rough surface minimises the cam-out effect
- Resistant extreme wear-resistance due to the combination of S2 steel with zirconium nitride coating
- STAR bits perform significantly better than conventional bits in torque transmission, service life, wear-resistance and reduction of the ejecting effect

	Z	$\mathbf{I}$	
10			1/4" 🔶 6.3
PIEC	ES 10-pa	ack with hanger	#140
Туре	Length	€/PU	ArtNo.
PH1	25 mm	15.30	1 780 001-10
PH2	25 mm	15.30	1 780 002-10
PH3	25 mm	15.30	1 780 003-10
PH2	50 mm	31.00	1 781 002-10
			#141
Туре	Length	€/PU	ArtNo.

Cam-Out

	Y	PZ1	25 mm	15.30	
		PZ2	25 mm	15.30	
		PZ3	25 mm	15.30	
		PZ2	50 mm	31.00	
NEW					
		Туре	Length	€/PU	
ength: 50 mm	N.	T10	25 mm	15.30	
ength. se		T15	25 mm	15.30	
		T20	25 mm	15.30	
		T25	25 mm	15.30	

Anti Cam-Out



Туре	Length	€/PU	ArtNo.
T10	25 mm	15.30	1 780 310-10
T15	25 mm	15.30	1 780 315-10
T20	25 mm	15.30	1 780 320-10
T25	25 mm	15.30	1 780 325-10
T30	25 mm	15.30	1 780 330-10
T40	25 mm	15.30	1 780 340-10
T10	50 mm	31.00	1 781 310-10
T15	50 mm	31.00	1 781 315-10
T20	50 mm	31.00	1 781 320-10
T25	50 mm	31.00	1 781 325-10
T30	50 mm	31.00	1 781 330-10
T40	50 mm	31.00	1 781 340-10

#### PROFESSIONAL PLUS STANDARD

### 1/4" SINGLE-HAND bit holder



1 780 101-10 1 780 102-10 1 780 103-10 1 781 102-10

#142

- SINGLE-HAND quick release button for quick and easy SINGLE-HAND use
- ► For long lifetime and high resistance due to high quality
- ► With extra strong magnet even heavy screws stick to the bit
- Slim design ideal for narrow working areas
- Quick and easy change of the bits



			#14:
2772 and 2773	Length	€/pcs.	ArtNo.
with movable	<b>The second s</b>		
	65 mm	8.45	2771
centering sleeve	150 mm	12.00	2772
1/4" 🛑 6.3	350 mm	24.25	2773



### **RIVETING**

## **Blind rivet tools**


#### **Blind rivet pliers**

- ▶ Profi blind rivet pliers for blind rivet processing of the diameters 2.4 / 3.0 - 3.2 / 4.0 / 4.8 - 5.0 mm
- Suitable for all blind rivet materials
- ► Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel
- Including mouth pieces 2.4 / 3.0 - 3.2 / 4.0 / 4.8 - 5.0 mm



#### Blind rivet pliers set

- Handy and practical blind rivet pliers incl. 15 blind rivets for 2.4 / 3.2 / 4.0 / 4.8 mm
- ▶ Blind rivet pliers 398060 and 15 aluminum-blind rivets for diameters 2.4 / 3.2 / 4.0 / 4.8 mm
- ▶ In high-quality and solid metal case





#### Lever blind rivet pliers

- Lever rivet pliers for the processing of blind rivets of sizes 3.0 - 6.4 mm
- ► Lever arms in high quality steel with ergonomic and nonslipping handles
- ► Hardened alloy steel jaws suitable for all blind rivet materials
- ▶ Lever-arm mechanism for effortless power transmission easy and gentle processing
- Removable collecting vessel
- ▶ Including mouth pieces 3.0 3.2 / 4.0 / 4.8 5.0 / 6.4 mm



Compatible with

#### Blind rivet adapter

- ▶ Profi blind rivet adapter for blind rivet processing with cordless screwdrivers and drill machines
- Very fast and fatigue-free setting of blind rivets
- High quality and non-slipping metal housing
- For blind rivet processing of diameters 2.4 5.0 mm (398063) or 3.0 - 6.4 mm (398064)
- Including coloured mouth pieces for fast identification of the right size



### **RIVETING**

#### PROFESSIONAL PLUS STANDARD

## **Blind rivet nut tools**

#### Blind rivet nut pliers set

- Profi blind rivet nut pliers for blind rivet nut processing with a diameter of M3 - M6
- Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel

398080

50

- Suitable for all riveting materials
- Easy changing of the mandrels
- ▶ Incl. mandrels and mouth pieces M3, M4, M5 and M6




Incl. blind rivets

Small, ergonomic opening angle




### Lever blind rivet nut pliers set

- Profi lever blind rivet nut pliers for blind rivet nut processing from M4 - M10
- Practical set consisting of lever blind rivet nut pliers and 20 aluminum blind rivet nuts for each size
- Suitable for all riveting materials
- Including mandrels and mouthpieces



#### Blind rivet nut adapter

- For blind rivet nut processing with cordless screwdrivers and drill machines
- Compatible to all conventional drill chucks
- For blind rivet nut processing of the sizes M3 M6 (398082) as well as M6 - M10 (398083)
- Suitable for all riveting materials
- With high-quality and non-slipping metal housing for gentle work
- Including mandrels and mouthpieces





### WORKSHOP TROLLEY ACCESSORY

#### PROFESSIONAL PLUS STAND







PROFESSIONAL PLUS STANDARD

## Workshop trolley without equipement

#### STAR The economic workshop trolley Price recommendation Good quality and high safety Stable ball bearing slides ▶ 6 drawers with a load capacity of up to 35 kg each Max. overall load capacity of up to 400 kg 4901-50 #172 Only-One-Drawer-System: only one drawer at a 40 00 time may be opened Wheels with full break system 400 kg 127 x 32 mm Max Overall Capacity: Material: Steel plates. powder-coated Roll Dimensions: Material Thickness: 0.8 mm Drawers: 6 Colour(s): Height x With x Depth: blue 1.010 x 678 x 459 mm Max Capacity per Drawer: 35 kg Height Drawers: 3 x 154 mm / 3 x 75 mm Height Drawers:

## Workshop trolleys with 229 pcs. equipment






### **TOOL CASES**

PLUS STANDARD

## Xi-on MULTI socket wrench



- Extremely innovative: Revolutionary Xi-on special construction opens even up to 85% rounded screws and nuts
- ▶ Opens all standard metric hex, double hex, spline screw nuts and screws
- Easy working where even conventional sockets will fail
- Recommended by »Technik und Motor« of FAZ (established reputable Frankfurt Newspaper, Germany)
- Exact fit and highest power transmission with less wear
- ▶ Made of high quality chrome vanadium steel for long lifetime
- ► High grip thanks to the circumferential knurling



85% rounded

Hex



Spline



1/4" + 1/2"Xi-on socket set

W 200 x L 450 x H 55 mm, Weight 5.200 g

#177





1/4" Xi-on socket set

1/4" 🛑 6.3

W 125 x L 225 x H 45 mm, Weight 1.020 g





1/2" Xi-on socket set

W 195 x L 450 x H 55 mm, Weight 4.530 g

1/2" 12.5 4121 #176 €





1/4" 🔴 6.3 1/2" 12.5

4131

Your PROJAHN Retailer

PROJAHN Promotion valid at all participating dealers from March 1st 2022 until August 31st 2022 or rather revocation or publication of a new promotion leaflet. All promotion prices in Euro excl. VAT.



erformance specifications, features, pictures, lists, dimensions and weight of products may change in the cours remominate specifications, realistics, procures, insis, uninerisations and vergint or products may charge in the clourse or technical development and, due to adaptions to our customers' needs, without any obligation or prior notice. There is no obligation to change earlier deliveries accordingly. We are entitled to remove items from our product range. The offers in this promotion leaflet are not combinable with others. Sales only through specialized trade dealers. Errors and omissions as well as colour variations are subject to change. On account of limited stock some articles may already be sold out.

© 2022 PROJAHN Präzisionswerkzeuge GmbH, Germany